

ROS 2 Cheats Sheet

Command Line Interface

All ROS 2 CLI tools start with the prefix 'ros2' followed by a command, a verb and (possibly) positional/optional arguments.

For any tool, the documentation is accessible with,

```
$ ros2 command --help
```

and similarly for verb documentation,

```
$ ros2 command verb -h
```

Similarly, auto-completion is available for all commands/verbs and most positional/optional arguments. E.g.,

```
$ ros2 command [tab][tab]
```

Some of the examples below rely on:

[ROS 2 demos package](#).

action Allows to manually send a goal and displays debugging information about actions.

Verbs:

```
info      Output information about an action.
list      Output a list of action names.
send_goal Send an action goal.
show     Output the action definition.
```

Examples:

```
$ ros2 action info /fibonacci
$ ros2 action list
$ ros2 action send_goal /fibonacci \
  action_tutorials/action/Fibonacci "order: 5"
$ ros2 action show action_tutorials/action/Fibonacci
```

bag Allows to record/play topics to/from a rosbag.

Verbs:

```
info      Output information of a bag.
play     Play a bag.
record   Record a bag.
```

Examples:

```
$ ros2 info <bag-name>
$ ros2 play <bag-name>
$ ros2 record -a
```

component Various component related verbs.

Verbs:

```
list      Output a list of running containers and components.
load     Load a component into a container node.
standalone Run a component into its own standalone container node.
types    Output a list of components registered in the ament index.
unload  Unload a component from a container node.
```

Examples:

```
$ ros2 component list
$ ros2 component load /ComponentManager \
  composition composition::Talker
$ ros2 component types
$ ros2 component unload /ComponentManager 1
```

daemon Various daemon related verbs.

Verbs:

```
start    Start the daemon if it isn't running.
status  Output the status of the daemon.
stop    Stop the daemon if it is running
```

doctor A tool to check ROS setup and other potential issues such as network, package versions, rmw middleware etc.

Alias: **wtf** (where's the fire).

Arguments:

```
--report/-r      Output report of all checks.
--report-fail/-rf Output report of failed checks only.
--include-warning/-iw Include warnings as failed checks.
```

Examples:

```
$ ros2 doctor
$ ros2 doctor --report
$ ros2 doctor --report-fail
$ ros2 doctor --include-warning
$ ros2 doctor --include-warning --report-fail
```

or similarly,

```
$ ros2 wtf
```

extension_points List extension points.

extensions List extensions.

interface Various ROS interfaces (actions/topics/services)-related verbs. Interface type can be filtered with either of the following option, '--only-actions', '--only-msgs', '--only-srvs'.

Verbs:

```
list      List all interface types available.
package   Output a list of available interface types within one package.
packages Output a list of packages that provide interfaces.
proto     Print the prototype (body) of an interface.
show     Output the interface definition.
```

Examples:

```
$ ros2 interface list
$ ros2 interface package std_msgs
$ ros2 interface packages --only-msgs
$ ros2 interface proto example_interfaces/srv/AddTwoInts
$ ros2 interface show geometry_msgs/msg/Pose
```

launch Allows to run a launch file in an arbitrary package without to 'cd' there first.

Usage:

```
$ ros2 launch <package> <launch-file>
```

Example:

```
$ ros2 launch demo_nodes_cpp add_two_ints.launch.py
```

lifecycle Various lifecycle related verbs.

Verbs:

```
get      Get lifecycle state for one or more nodes.
list     Output a list of available transitions.
nodes   Output a list of nodes with lifecycle.
set     Trigger lifecycle state transition.
```

msg (**deprecated**) Displays debugging information about messages.

Verbs:

```
list      Output a list of message types.
package   Output a list of message types within a given package.
packages Output a list of packages which contain messages.
show     Output the message definition.
```

Examples:

```
$ ros2 msg packages
$ ros2 msg show geometry_msgs/msg/Pose
```

multicast Various multicast related verbs.

Verbs:

- receive** Receive a single UDP multicast packet.
- send** Send a single UDP multicast packet.

node Displays debugging information about nodes.

Verbs:

- info** Output information about a node.
- list** Output a list of available nodes.

Examples:

```
$ ros2 node info /talker
$ ros2 node list
```

param Allows to manipulate parameters.

Verbs:

- delete** Delete parameter.
- describe** Show descriptive information about declared parameters.
- dump** Dump the parameters of a given node in yaml format, either in terminal or in a file.
- get** Get parameter.
- list** Output a list of available parameters.
- set** Set parameter

Examples:

```
$ ros2 param delete /talker /use_sim_time
$ ros2 param get /talker /use_sim_time
$ ros2 param list
$ ros2 param set /talker /use_sim_time false
```

pkg Create a ros2 package or output package(s)-related information.

Verbs:

- create** Create a new ROS2 package.
- executables** Output a list of package specific executables.
- list** Output a list of available packages.
- prefix** Output the prefix path of a package.
- xml** Output the information contained in the package xml manifest.

Examples:

```
$ ros2 pkg prefix std_msgs
$ ros2 pkg xml -t version
```

run Allows to run an executable in an arbitrary package without having to 'cd' there first.

Usage:

```
$ ros2 run <package> <executable>
```

Example:

```
$ ros2 run demo_node_cpp talker
```

security Various security related verbs.

Verbs:

- create_key** Create key.
- create_permission** Create keystore.
- generate_artifacts** Create permission.
- list_keys** Distribute key.
- create_keystore** Generate keys and permission files from a list of identities and policy files.
- distribute_key** Generate XML policy file from ROS graph data.
- generate_policy** List keys.

Examples (see [sros2 package](#)):

```
$ ros2 security create_key demo_keys /talker
$ ros2 security create_permission demo_keys /talker \
  policies/sample_policy.xml
$ ros2 security generate_artifacts
$ ros2 security create_keystore demo_keys
```

service Allows to manually call a service and displays debugging information about services.

Verbs:

- call** Call a service.
- find** Output a list of services of a given type.
- list** Output a list of service names.
- type** Output service's type.

Examples:

```
$ ros2 service call /add_two_ints \
  example_interfaces/AddTwoInts "a: 1, b: 2"
$ ros2 service find rcl_interfaces/srv/ListParameters
$ ros2 service list
$ ros2 service type /talker/describe_parameters
```

Verbs:

- list** Output a list of available service types.
- package** Output a list of available service types within one package.
- packages** Output a list of packages which contain services.
- show** Output the service definition.

test Run a ROS2 launch test.

topic A tool for displaying debug information about ROS topics, including publishers, subscribers, publishing rate, and messages.

Verbs:

- bw** Display bandwidth used by topic.
- delay** Display delay of topic from timestamp in header.
- echo** Output messages of a given topic to screen.
- find** Find topics of a given type type.
- hz** Display publishing rate of topic.
- info** Output information about a given topic.
- list** Output list of active topics.
- pub** Publish data to a topic.
- type** Output topic's type.

Examples:

```
$ ros2 topic bw /chatter
$ ros2 topic echo /chatter
$ ros2 topic find rcl_interfaces/msg/Log
$ ros2 topic hz /chatter
$ ros2 topic info /chatter
$ ros2 topic list
$ ros2 topic pub /chatter std_msgs/msg/String \
  'data: Hello ROS 2 world'
$ ros2 topic type /rosout
```