

## START LECTURE 10/17/2022 RECORD

1\_HW 6 REVIEW HW6\_5435\_4391URDF\_Gazebo\_Ch2\_AnswersFor\_F2022.pdf

NEXT WEEK QUIZ – TAKE HOME – NO CLASS - Due 10/24/2022

To Study: Chapter 1 and Chapter in textbook on Web. [Text](#)

Web material ROS general, ROS1, and ROS2. ROS1 and ROS2 examples.

Comparisons of ROS1 and ROS2

## CHAPTER 2 CONTINUED

With URDF! | Getting Ready to build Robots with ROS #7 10,816 views Oct 25, 2021 27:33

Video See to about 10 minutes <https://www.youtube.com/watch?v=CwdbsvcpOHM>

## CHAPTER 2 IN OUR TEXT REVIEW AND DEMO

**6a\_Ch2 URDF\_ToPage59 10\_9\_2022.pdf**

**6b\_RunningRVIZ\_ROS1\_RVIZ2\_ROS2.pdf**

**7\_gazebo\_Ch2\_10\_10\_2022.pdf**

**For October 31\_2022 TALK ABOUT ROSPY AND RCLPY**

**TURTLESIM DEMO PROPORTIONAL CONTROL IN PYTHON NOETIC – CHANGES**

**Turtlesim\_py\_1 gotogoal 10\_13\_2022.odt.docx**

**MOVE TURTLESIM IN FOXY**

**Tsim\_Move\_py\_R2\_py.docx**

**MAKE PACKAGES NOETIC AND FOXY**

**Commands\_MakePackage\_Ch2a.pdf**

## ROS 2 Cheats Sheet

### Command Line Interface

All ROS 2 CLI tools start with the prefix ‘ros2’ followed by a command, a verb and (possibly) positional/optional arguments.

For any tool, the documentation is accessible with,

```
$ ros2 command --help
```

and similarly for verb documentation,

```
$ ros2 command verb -h
```

Similarly, auto-completion is available for all commands/verbs and most positional/optional arguments. E.g.,

```
$ ros2 command [tab][tab]
```

Some of the examples below rely on:

[ROS 2 demos package](#).

**action** Allows to manually send a goal and displays debugging information about actions.

Verbs:

<code>info</code>	Output information about an action.
<code>list</code>	Output a list of action names.
<code>send_goal</code>	Send an action goal.
<code>show</code>	Output the action definition.

Examples:

```
$ ros2 action info /fibonacci
$ ros2 action list
$ ros2 action send_goal /fibonacci \
    action_tutorials/action/Fibonacci "order: 5"
$ ros2 action show action_tutorials/action/Fibonacci
```

**bag** Allows to record/play topics to/from a rosbag.

Verbs:

<code>info</code>	Output information of a bag.
<code>play</code>	Play a bag.
<code>record</code>	Record a bag.

Examples:

```
$ ros2 info <bag-name>
$ ros2 play <bag-name>
$ ros2 record -a
```

**component** Various component related verbs.

Verbs:

**list** Output a list of running containers and components.

**load** Load a component into a container node.

**standalone** Run a component into its own standalone container node.

**types** Output a list of components registered in the ament index.

**unload** Unload a component from a container node.

Examples:

```
$ ros2 component list
$ ros2 component load /ComponentManager \
    composition composition::Talker
$ ros2 component types
$ ros2 component unload /ComponentManager 1
```

**daemon** Various daemon related verbs.

Verbs:

<code>start</code>	Start the daemon if it isn't running.
<code>status</code>	Output the status of the daemon.
<code>stop</code>	Stop the daemon if it is running

**doctor** A tool to check ROS setup and other potential issues such as network, package versions, rmw middleware etc.

Alias: `wtf` (where's the fire).

Arguments:

<code>--report/-r</code>	Output report of all checks.
<code>--report-fail/-rf</code>	Output report of failed checks only.
<code>--include-warning/-iw</code>	Include warnings as failed checks.

Examples:

```
$ ros2 doctor
$ ros2 doctor --report
$ ros2 doctor --report-fail
$ ros2 doctor --include-warning
$ ros2 doctor --include-warning --report-fail
or similarly,
$ ros2 wtf
```

**extension\_points** List extension points.

**extensions** List extensions.

**interface** Various ROS interfaces (actions/topics/services)-related verbs. Interface type can be filtered with either of the following option, ‘--only-actions’, ‘--only-msgs’, ‘--only-srvs’.

Verbs:

<code>list</code>	List all interface types available.
<code>package</code>	Output a list of available interface types within one package.

<code>packages</code>	Output a list of packages that provide interfaces.
-----------------------	--

<code>proto</code>	Print the prototype (body) of an interfaces.
--------------------	--

<code>show</code>	Output the interface definition.
-------------------	----------------------------------

Examples:

```
$ ros2 interface list
$ ros2 interface package std_msgs
$ ros2 interface packages --only-msgs
$ ros2 interface proto example_interfaces/srv/AddTwoInts
$ ros2 interface show geometry msgs/msg/Pose
```

**launch** Allows to run a launch file in an arbitrary package without to ‘cd’ there first.

Usage:

```
$ ros2 launch <package> <launch-file>
```

Example:

```
$ ros2 launch demo_nodes_cpp add_two_ints.launch.py
```

**lifecycle** Various lifecycle related verbs.

Verbs:

<code>get</code>	Get lifecycle state for one or more nodes.
<code>list</code>	Output a list of available transitions.
<code>nodes</code>	Output a list of nodes with lifecycle.
<code>set</code>	Trigger lifecycle state transition.

**msg** ([deprecated](#)) Displays debugging information about messages.

Verbs:

<code>list</code>	Output a list of message types.
<code>package</code>	Output a list of message types within a given package.
<code>packages</code>	Output a list of packages which contain messages.

<code>show</code>	Output the message definition.
-------------------	--------------------------------

Examples:

11/27/2020

ros2\_cheats\_sheet/cli\_cheats\_sheet.pdf at master · ubuntu-robotics/ros2\_cheats\_sheet · GitHub

```
$ ros2 msg packages  
$ ros2 msg show geometry_msgs/msg/Pose
```

**multicast** Various multicast related verbs.

Verbs:

**receive** Receive a single UDP multicast packet.  
**send** Send a single UDP multicast packet.

**node** Displays debugging information about nodes.

Verbs:

**info** Output information about a node.  
**list** Output a list of available nodes.

Examples:

```
$ ros2 node info /talker  
$ ros2 node list
```

**param** Allows to manipulate parameters.

Verbs:

**delete** Delete parameter.  
**describe** Show descriptive information about declared parameters.  
**dump** Dump the parameters of a given node in yaml format, either in terminal or in a file.  
**get** Get parameter.  
**list** Output a list of available parameters.  
**set** Set parameter

Examples:

```
$ ros2 param delete /talker /use_sim_time  
$ ros2 param get /talker /use_sim_time  
$ ros2 param list  
$ ros2 param set /talker /use_sim_time false
```

**pkg** Create a ros2 package or output package(s)-related information.

Verbs:

**create** Create a new ROS2 package.  
**executables** Output a list of package specific executables.  
**list** Output a list of available packages.  
**prefix** Output the prefix path of a package.  
**xml** Output the information contained in the package xml manifest.

Examples:

```
$ ros2 pkg prefix std_msgs  
$ ros2 pkg xml -t version
```

**run** Allows to run an executable in an arbitrary package without having to 'cd' there first.

Usage:

```
$ ros2 run <package> <executable>
```

Example:

```
$ ros2 run demo_node.cpp talker
```

**security** Various security related verbs.

Verbs:

**create\_key** Create key.  
**create\_permission** Create keystore.  
**generate\_artifacts** Create permission.  
**list\_keys** Distribute key.  
**create\_keystore** Generate keys and permission files from a list of identities and policy files.  
**distribute\_key** Generate XML policy file from ROS graph data.  
**generate\_policy** List keys.

Examples (see [ros2 package](#)):

```
$ ros2 security create_key demo_keys /talker  
$ ros2 security create_permission demo_keys /talker \  
  policies/sample.policy.xml  
$ ros2 security generate_artifacts  
$ ros2 security create_keystore demo_keys
```

**service** Allows to manually call a service and displays debugging information about services.

Verbs:

**call** Call a service.  
**find** Output a list of services of a given type.  
**list** Output a list of service names.  
**type** Output service's type.

Examples:

```
$ ros2 service call /add_two_ints \  
  example_interfaces/AddTwoInts "a: 1, b: 2"  
$ ros2 service find rcl_interfaces/srv/ListParameters  
$ ros2 service list  
$ ros2 service type /talker/describe_parameters
```

Verbs:  
**list** Output a list of available service types.  
**package** Output a list of available service types within one package.

**packages** Output a list of packages which contain services.

**show** Output the service definition.

**test** Run a ROS2 launch test.

**topic** A tool for displaying debug information about ROS topics, including publishers, subscribers, publishing rate, and messages.

Verbs:

**bw** Display bandwidth used by topic.  
**delay** Display delay of topic from timestamp in header.  
**echo** Output messages of a given topic to screen.  
**find** Find topics of a given type type.  
**hz** Display publishing rate of topic.  
**info** Output information about a given topic.  
**list** Output list of active topics.  
**pub** Publish data to a topic.  
**type** Output topic's type.

Examples:

```
$ ros2 topic bw /chatter  
$ ros2 topic echo /chatter  
$ ros2 topic find rcl_interfaces/msg/Log  
$ ros2 topic hz /chatter  
$ ros2 topic info /chatter  
$ ros2 topic list  
$ ros2 topic pub /chatter std_msgs/msg/String \  
  'data: Hello ROS 2 world'  
$ ros2 topic type /rosout
```